

L

Lachtermann E, Zander R

Milchsäure-Bildung und -Verteilung in Erythrozytenkonzentraten
Anästhesiol Intensivmed Notfallmed Schmerzther 2001; 36 (Suppl. 1): 31 -33
© Georg Thieme Verlag · Stuttgart

Lang W

Treffpunkt Stewart
Anaesthesist 2007; 56: 388 - 397
© Springer Medizin Verlag 2007

Lang W, Blöck TH, Zander R

Solubility of NH_3 and apparent pK of NH_4^+ in human plasma, isotonic salt solutions and water at 37 °C
Clin Chim Acta 1998; 273: 43 - 58
© Elsevier Science B.V.

Lang W, Zander R

Physiological hepes buffer proposed as a calibrator for pH measurement in human blood
Clin Chem Lab Med 1999; 37: 563 - 571
© Walter de Gruyter · Berlin · New York

Lang W, Zander R

The accuracy of calculated base excess in blood
Clin Chem Lab Med 2002; 40: 404 - 410
© Walter de Gruyter · Berlin · New York

Lang W, Zander R

Prediction of dilutional acidosis based on the revised classical dilution concept for bicarbonate
J Appl Physiol 2005; 98: 62 - 71
© The American Physiological Society

Langenstein H, Cunitz G
Die schwierige Intubation beim Erwachsenen
Anaesthesist 1996; 45: 372 - 383

Lönnqvist PA
Inappropriate perioperative fluid management in children: time for a solution?!
Pediatric Anesthesia 2007; 17: 203 - 205

Lundsgaard-Hansen P, Doran JE, Blauhut B
Is there a generally valid, minimum acceptable hemoglobin level?
Infusionsther 1989; 16: 167 - 175