

# T

Tapernon K, Zander R, Niehoff D, Sibrowski W

Qualitätskontrolle der Hämolyserate von Erythrozytenkonzentraten:  
Ringversuch zur Bestimmung von freiem Hämoglobin  
Anästhesiol Intensivmed Notfallmed Schmerzther 2001; 36 (Suppl. 1): 45 - 50  
© Georg Thieme Verlag · Stuttgart

Theilen H, Ragaller M, Koch T

Hypertone NaCl-Lösung zur Senkung des intrakraniellen Drucks  
Anaesthesist 2007; 56: 385 - 387  
© Springer Medizin Verlag 2007

Thiessen F, Bergmann J, Steinhoff H

Methämoglobinämie nach Blockade des Plexus brachialis mit Prilocain  
(Xylonest<sup>®</sup>)  
Regional-Anästhesie 1984; 7: 94 - 95

Tommasino C, Moore S, Todd MM

Cerebral effects of isovolemic hemodilution with crystalloid or colloid solutions  
Crit Care Med 1988; 16: 862 - 868

Tremblay LN, Feliciano DV, Rozycki GS

Assessment of initial base deficit as a predictor of outcome: mechanism of  
injury does make a difference  
Am Surg 2002; 68: 689 - 693

Trudnowski RJ, Goel SB, Lam FT, Evers JL

Effect of Ringer´s lactate solution and sodium bicarbonate on surgical acidosis  
Surg Gynec Obstetr 1967; 20: 807 - 814